

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	3698	"IEEE 802.11"	US-PGPUB; USPAT	OR	OFF	2004/12/18 12:26
L6	3031	L5 and (@ad<"20030214" or @rlad<"20030214")	US-PGPUB; USPAT	OR	OFF	2004/12/18 12:26
L7	2534	L6 and associat\$4	US-PGPUB; USPAT	OR	OFF	2004/12/18 12:26
L8	275	L7 and (signal with quality)	US-PGPUB; USPAT	OR	OFF	2004/12/18 12:27
L9	147	L8 and "access point"	US-PGPUB; USPAT	OR	OFF	2004/12/18 12:27
S1	3698	"IEEE 802.11"	US-PGPUB; USPAT	OR	OFF	2004/12/17 16:50
S2	3031	S1 and (@ad<"20030214" or @rlad<"20030214")	US-PGPUB; USPAT	OR	OFF	2004/12/18 12:26
S3	869	S2 and association	US-PGPUB; USPAT	OR	OFF	2004/12/17 16:51
S4	109	S3 and (signal with quality)	US-PGPUB; USPAT	OR	OFF	2004/12/17 16:52

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("5815811").PN.	USPAT	OR	OFF	2004/12/16 08:47
S2	0	S1 and evm	USPAT	OR	OFF	2004/12/15 16:58
S3	1	("5809430").PN.	USPAT	OR	OFF	2004/12/15 16:59
S4	0	S3 and evm	USPAT	OR	OFF	2004/12/15 17:02
S5	193066	"370"/\$ or "375"/\$ or "455"/\$	US-PGPUB; USPAT	OR	OFF	2004/12/15 17:02
S6	166180	S5 and (@ad<"20030214" or @rlad<"20030214")	US-PGPUB; USPAT	OR	OFF	2004/12/15 17:03
S7	116	S6 and ("error vector magnitude" or "evm")	US-PGPUB; USPAT	OR	OFF	2004/12/15 17:27
S8	41	S7 and "data rate"	US-PGPUB; USPAT	OR	OFF	2004/12/15 17:04
S9	395	"error vector magnitude" or "evm"	US-PGPUB; USPAT	OR	OFF	2004/12/15 17:28
S10	361	S9 and (@ad<"20030214" or @rlad<"20030214")	US-PGPUB; USPAT	OR	OFF	2004/12/15 17:28
S11	49	S10 and "data rate"	US-PGPUB; USPAT	OR	OFF	2004/12/15 17:29
S12	444	"error vector magnitude" or "evm"	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 08:48
S13	400	S12 and (@ad<"20030214" or @rlad<"20030214")	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 10:27
S16	49	S13 and "data rate"	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 15:28
S17	193321	"370"/\$ or "375"/\$ or "455"/\$	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 10:30
S18	4402	S17 and (select\$3 same "data rate")	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 10:31
S19	438	S18 and "signal quality"	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 10:59
S20	14	S18 and ("error vector magnitude" or "evm")	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 10:32
S21	100	S17 and (select\$3 same "data rate" same "signal quality")	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 16:44
S22	109	370/210.ccls. and DFT	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 15:51

S23	99	S22 and (@ad<"20030214" or @rlad<"20030214")	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 14:50
S24	50	S23 and OFDM	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 14:50
S25	444	"error vector magnitude" or "evm"	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 15:28
S26	400	S25 and (@ad<"20030214" or @rlad<"20030214")	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 15:28
S27	75	S26 and demodulat\$4	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 15:32
S28	11	S27 and (ADC or "analog to digital")	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 15:38
S29	128	(ADC same demodulator same receiver) and wireless	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 15:39
S30	110	S29 and (@ad<"20030214" or @rlad<"20030214")	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 15:44
S31	17563	lucent.as.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 15:44
S32	24	S31 and OFDM and quality	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 15:45
S33	23	S32 and (@ad<"20030214" or @rlad<"20030214")	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 15:45
S34	3	S22 and (signal adj4 quality)	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 15:53
S35	20	S22 and quality	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 15:53
S36	193321	"370"/\$ or "375"/\$ or "455"/\$	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 16:44
S37	100	S36 and (select\$3 same "data rate" same "signal quality")	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 16:44
S38	4	S37 and ADC	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 16:46

S39	96	OFDM and ADC and demodulat\$4 and (signal with quality)	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 16:47
S40	86	S39 and (@ad<"20030214" or @rlad<"20030214")	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/16 16:47